EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2210	(configur$ with remot$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:38
L2	97	"709"/$.ccls. and (configur$ with remot$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
L3	1135	"709"/$.ccls. and (configur$ with remot$3 updat$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
L4	1	"709"/$.ccls. and (configur$ with remot$3 with updat$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
L5	22	"709"/$.ccls. and (configur$ and remot$3 and updat$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:40
L6	0	"709"/$.ccls. and (configur$ and remot$3 and updat$3).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:40
L7	24	"709"/$.ccls. and (configur$ and remot$3).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:04
L8	0	"709"/$.ccls. and (configur$ adj1 server and remote$1).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44

L9	0	"709"/$.ccls. and (configur$ adj1 server and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44
L10	3	"709"/$.ccls. and (configur$4 adj2 server$1 and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:48
L11	0	"709"/$.ccls. and (configur$4 near3 updat$3 and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:48
L12	96	"709"/$.ccls. and (configur$4 and remote$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:04
L13	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:04
L14	199	"709"/$.ccls. and (configur$4 with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:05
L15	6	"709"/$.ccls. and (configur$4 with speed).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06
L16	1	"709"/$.ccls. and (configur$4 with control$3 adj2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06

L17	11	"709"/$.ccls. and (configur$4 with control$3 adj4 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:46
L18	2	("6,223,218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:36
L19	78	"709"/$.ccls. and (forward$3 adj4 configura$4) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:47
S1	1	("20030172141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/21 10:41
S2	2	("0608205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 14:05
S3	1	("6308205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 14:27
S4	18891182	(remote$2 and configura$4) and line near1 speed @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:07
S5	18890437	(remot$4 and configura$4).ti. and (line near1 speed)@ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:08
S6	0	(remot$4 and configura$4).ti. and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:08

S7	4	(remot$4 and configura$4).ab. and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:17
S8	768	(remot$4 and configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:17
S9	36	(remot$4 near1 configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:19
S10	31	(administr$5 with remot$4 near1 configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:22
S11	54	(administr$5 with configura$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:24
S12	391	((configura$4 near4 type$1)with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:25
S13	0	((configura$4 near4 type$1)with speed with remot$4) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:30
S14	0	((configura$4 near4 type$1)with defin$4 near2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:26

S15	0	((configura$4 near4 type$1)with identif$4 near2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:26
S16	6198	(remote and configure and bandwidth) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:28
S17	16	(remote and configure and bandwidth).ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:29
S18	15	(remote and configure and speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:36
S19	0	(configure with line near1 speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S20	8	(configure with line near1 speed) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S21	210	(configur$5 with line near1 speed) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 15:01
S22	16	(configur$5 with line near1 speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S23	0	("22030144983").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:01

S24	1	("20030144983").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:01
S25	1	("6308205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/21 10:41
S26	159	(configurat$3 with (automatical$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S27	0	(configurat$3 with (automatical$3 near3 identify$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S28	0	(configurat$3 with (automatical$3 near3 identify$3 near4 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S29	51	"709"/$.ccls. and (configurat$3 with (automatical$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:32
S30	485	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 updat$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:32
S31	18906269	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 updat$3))". ab.and" @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:33
S32	2	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 updat$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35

EAST Search History

S33	0	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 assing$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S34	0	"709"/$.ccls. and (configurat$3 and (automatical$3 near2 assing$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S35	0	(configurat$3 and (automatical$3 near2 assing$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S36	0	(configurat$3 with (automatical$3 with assing$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:36
S37	122	(configurat$3 with (automatical$3 with assign$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:36
S38	12	(configurat$3 with (automatical$3 with assign$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:38
S39	122	(configurat$3 with (automatical$3 with assign$3)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:38
S40	1	(configurat$3 with (automatical$3 with assign$3 with updated)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:38

EAST Search History

S41	1	((configurat$3 near1 parameters) with (automatical$3 with assign$3)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:29
S42	1	("6748436").PN.	USPAT; USOCR	OR	OFF	2006/07/21 16:33
S43	1	("6868444").PN.	USPAT; USOCR	OR	OFF	2006/07/21 16:37
S44	98	(configura$5 with bandwidth with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:37
S45	5	(configura$5 with bandwidth with speed).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:37
S46	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:21
S47	2	("5428748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:21